




DEARING OF AMERICA CORP.



RCJTZ60 Bearing 2D drawings and 3D CAD models

INA RCJTZ60 bearing units

Bearing No. RCJTZ60

Bore Diameter	60 mm
d	60 mm
V	138 mm
U	76,8 mm
Thread (Q)	Rp1/8
T1	4 mm
Z	130 mm
d3	84 mm
A	42 mm
A1	16 mm
B1	77,9 mm
H	238 mm
J	202 mm
L	138 mm
N	18 mm
A2	30 mm
Weight	3,74 Kg
Basic dynamic load rating (C)	52 kN
Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	5.005
EAN	4012802791105
Product Group	M06110
Number of Mounting Holes	2



DEARING OF AMERICA CORP.

Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	18 Millimeter
Relubricatable	Yes
Insert Part Number	GE60KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch - Metric	Metric
Long Description	2 Bolt Flange Block; 60MM Bore; 202MM Bolt Circle; 202MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 77.9MM Length Thru Bore; Relubricatable; Double Land Riding Rubbe
Other Features	Single Row Centering Spigot With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	RCJTZ60
Weight / LBS	8.245
Bolt Spacing	7.953 Inch 202 Millimeter
Length Thru Bore	3.067 Inch 77.9 Millimeter
Cartridge Pilot Depth	0.157 Inch 4 Millimeter
Cartridge Pilot Diameter	5.118 Inch 130 Millimeter



DEARING OF AMERICA CORP.

Bore	2.362 Inch 60 Millimeter
Nominal Bolt Circle Diameter Round	8 Inch 202 Millimeter