




DEARING OF AMERICA CORP.



NN3013C1NAP4 Bearing 2D drawings and 3D CAD models

65 mm x 100 mm x 26 mm 65 mm x 100 mm x 26 mm NTN NN3013C1NAP4 cylindrical roller bearings

Bearing No. NN3013C1NAP4

Size	65x100x26 mm
Bore Diameter	65 mm
Outer Diameter	100 mm
Width	26 mm
d	65 mm
D	100 mm
B	26 mm
C	26 mm
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.73
EAN	4547359130485
Product Group	B04270
Bore Profile	Straight
Cage Material	Brass
Precision Class	ABEC 7 ISO P4
Number of Rows of Rollers	Double Row
Separable	Outer Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C1NA



DEARING OF AMERICA CORP.

Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	3 Rib Inner Ring Plain Outer Ring Precision Bearing Cage on Inner Ring OD
Long Description	65MM Bore; Straight Bore Profile; 100MM Outside Diameter; 26MM Width; Brass Cage Material; ABEC 7 ISO P4; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C1NA Internal
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	NN3013C1NAP4
Weight / LBS	1.596
Width	1.024 Inch 26 Millimeter
Outside Diameter	3.937 Inch 100 Millimeter
Bore	2.559 Inch 65 Millimeter
bore diameter:	65 mm
static load capacity:	111000 N
outside diameter:	100 mm
precision rating:	ISO Class 4
overall width:	26 mm
maximum rpm:	10200 rpm
flanges:	(3) Inner Ring
bearing material:	Hardened Alloy Steel
bore type:	Straight



DEARING OF AMERICA CORP.

cage material:	High Strength, 2 piece, Machined Brass
number of rows:	2
finish/coating:	Uncoated
internal clearance:	C1NA
closure type:	Open
operating temperature range:	-40 to 120 ° C
fillet radius:	1.1 mm
dynamic load capacity:	75000 N
manufacturer product page:	Click here